

Sputnik[®]

PRODUCTS



WARRANTY

'SPUTNIK' products carry on one year warranty against manufacturing defects, subject to use of the product for the right application, with correct wiring / connection and normal operating conditions.
Hence, we guarantee for the workmanship of the material used and replacement of any defective material upon its return to our factory.

TERMS & CONDITIONS :

1. Prices are inclusive of Central Excise Duty & Supersedes all our Previous Price Lists.
2. Prices are subject to change without prior notice.
3. All rates are ex-factory.
4. In case of documents being dishonoured, demurrage & all other expenses for disposal of goods shall be borne by the customer.
5. We reserve the right to execute the order in part or Full
6. All disputes subject to Phillaur (Distt. Jalandhar) Jurisdiction only.



IS : 60947



AN ISO 9001-2008 CO.

Sputnik[®] Switchgears Pvt. Ltd.

Regd. Office : G.T. Road, Goraya-144409. (Punjab). INDIA.
Ph. (O) 01826-262854, 262754, Mob. : 98151-45845, E-mail : dhillonrandeep@hotmail.com

Price List

RSD/16/No.1 w.e.f. 01.04.23

Sputnik[®]
SWITCHGEARS
AN ISO 9001-2015 CO.



IS : 60947



CPRI

ERDA

CPWD

MES



SWITCH FUSE UNIT

Switch Fuse Unit as per
IS/IEC 60947-3 Rewireable
Sheet Steel Enclosure
Category AC 22A
ISI Marked



AMPS	VOLTS	TYPE SPN	TWO POLE
16	240	550	650
32	240	1300	1400
63	240	---	3350
16	415	---	---
32	415	---	---
63	415	---	---
100	415	---	---
200	415	---	---

Switch Fuse Unit as per
IS/IEC 60947-3 Rewireable
Sheet Steel Enclosure
Category AC 22A
ISI Marked



AMPS	VOLTS	TPN	CAST IRON DP
16	240	---	580
32	240	---	1000
63	240	---	---
16	415	1450	---
32	415	1920	---
63	415	4300	---
100	415	7600	---
200	415	11680	---

FUSE SWITCH UNIT

Fuse Switch Unit Double
Break. As per IS/IEC 60947
Heavy Duty HRC Type
Category AC 22A
ISI Marked.



AMPS	VOLTS	TPN Without HRC Fuses
63	415	4900
100	415	6300
200	415	8700
320	415	11100
400	415	15000

Fuse Switch Unit Double
Break. As per IS/IEC 60947
Heavy Duty HRC Type
Category AC 22A
ISI Marked.



AMPS	VOLTS	TPN With HRC Fuses
63	415	7700
100	415	9950
200	415	14000
320	415	18000
400	415	26000

Introduction

We are the manufacturers of L. T. Control Switches, Switch fuse Units, Combination fuse Switch Units, Changeovers, Fuse Units & Wide range of Distribution Boards. We manufacture mainly Domestic, Industrial & Agricultural Switchgears. Our Products are being supplied through out India and big houses of Indian Industries, Semi Govt. State Government & Central Government Projects.

Our Company was established in 1959 and we have developed our products with modernised techniques and facilities. We are very much strict to maintain our Quality and Standards. Our brand is well appreciated and accepted by wide users in the field of Industries & Buildings.

Our products are tested from Central Power of Research Institute Bhopal, ERDA Baroda, Indian Institute of technology & various Institutions in India having Licence on its Products from Bureau of Indian Standards.

We, as guardians of Sputnik are committed to constantly Develop, Improve, Implement and maintain systems and product Quality Standards to the entire satisfaction of our customers.

We stand committed for :

- Fair Price
- Customer Satisfaction
- Aesthetic and High Quality
- Continuous Product Innovation Development



OFF-LOAD CHANGE OVER

Off-Load Chang Overswitch
as per IS/IEC 60947-3
Porcelain / Heavy Duty
Sheet Steel Enclosure



AMPS	VOLTS	UNIT PRICE D.P.	UNIT PRICE T.P.	UNIT PRICE F.P.
16	415	1220	1200	1900
32	415	1550	1400	2350
63	415	3750	2800	5000

Off-Load Chang Overswitch
as per IS/IEC 60947-3
Knife Type / Heavy Duty
Sheet Steel Enclosure



AMPS	VOLTS	UNIT PRICE F.P.
63*	415	7450
100*small	415	8000
100*	415	10250
200*	415	14000
320*	415	23650
400*	415	29000
500*	415	35000
600*	415	55000
800*	415	80000
1000*	415	110000
1500*	415	200000

ON-LOAD CHANGE OVER

On-Load Change Overswitch
as per IS/IEC 60947-3
Front Handle Operated
Sheet Steel Enclosure
Category AC-22A
Sheet Steel Enclosure



AMPS	VOLTS	OPEN EXECUTION	SHEET STEEL ENCLOSURE
63	415	5000	7500
125	415	10400	13500
200	415	13500	17000
250	415	20000	24000
320	415	21000	26000
400	415	31000	37000



AUTOMATIC CHANGE OVER

Automatic Heavy Duty
Changeover Switches



AMPS	VOLTS	DP	FP
32	240	1800	---
63	240	2500	5800
63	415	---	12000
100	415	4000	16000
125	415	---	18000
200	415		20000
300	415		25000

Automatic Heavy Duty
Phase Changer Switch



AMPS	VOLTS	FP
32	415	3200
63	415	5400
100	415	12000
150	415	17000
200	415	18000
300	415	25000

Automatic Phase
Changer + Change Over



AMPS	VOLTS	FP
63	415	9000
100	415	15000

SWITCH CUM CHANGEOVER

Switch Cum
Changeover
2-in-1



AMPS	VOLTS	TP
32	415	2200
63	415	5200
100	415	8500



BUS BAR CHAMBERS

Bus Bar Chambers
As per IS:8623 Sheet Steel
Enclosure with Copper Bars
Triple Pole & Neutral



AMPS	VOLTS	SIZE OF BOXES	UNIT PRICE
32	415	280 X 280 X 85	2100
63	415	345 X 325 X 115	3600
100	415	385 X 340 X 115	5200
200	415	445 X 405 X 120	7500
320	415	500 X 465 X 125	12000
400	415	580 X 540 X 125	16400
500	415	580 X 410 X 150	25550
600	415	580 X 410 X 150	30000

Bus Bar Chambers
As per IS:8623 Sheet Steel
Enclosure with Copper Bars
Triple Pole & Neutral



NEW RANGE STEPWISE

AMPS	VOLTS	SIZE OF BOXES	UNIT PRICE
63	415	345 X 325 X 115	3600
100	415	385 X 340 X 115	5200
200	415	445 X 405 X 120	7500

FUSE UNIT / KIT-KAT

Fuse Units
Rewireable Type
As per IS : 2086



AMPS	VOLTS	UNIT PRICE	UNIT PRICE WITH EXTENSION T.P.
16	240	58	----
32	240	140	----
16	415	140	----
32	415	185	----
63	415	400	520
100	415	770	980
200	415	1330	1590
300	415	2230	2700
500	415	2970	3100



Switch Disconnecter
Fuse Cubicle
As per IE/IEC 60947
Heavy Duty HRC Type
Sheet Steel Enclosure
Category AC 23A



AMPS	VOLTS	OPEN EXECUTION	SHEET STEEL ENCLOSURE
32	415	1600	2500
63	415	2200	3200
125	415	4500	6200
250	415	10000	12000
320	415	12000	15000
400	415	15000	18000

MCB Isolators
Switch Disconnecter
As per IS/IEC-60947
Category AC-22A-240/
41550HZ



AMPS	DP	T.P.	F.P.
40	350	550	700
63	400	660	750
100	600	900	1200

Spotnik Residual
Current Circuit Breakers
ELCB Conforms to
IS:12640-1/200
240/415V 50Hz



RATING	SENSITIVITY mA 30-100-300	DP	FP
25	----	2000	2200
40	----	2200	2500
63	----	2400	2800

Two Way Centre Off
Changeover Switch
Modular Changeover
Switch Modular
As Per IS/IEC 60947-3
240/415, 50Hz Change
Over from Electricity
Board Supply to
Generator Supply &
Vice-Versa



AMP	DP	FP
25	700	1400
40	800	1600
63	1000	1900
----	----	----



MCB DISTRIBUTION BOARD

Single Door
MCB Enclosure
Sheet Steel Enclosure
Fitted with Din Channel



	UNIT PRICE F.P.
SDB 1 Pole with Neutral Link	160
SDB 2 Pole with Neutral Link	160
SDB 3 Pole with Neutral Link	230
SDB 4 Pole with Neutral Link	230

Single Door
MCB Enclosure
Sheet Steel
Enclosure
Fitted With Copper Bus Bar
& Neutral Link



SPN	UNIT PRICE	TPN
4 Way	500	1500
6 Way	600	1800
8 Way	750	2000
10 Way	800	2900
12 Way	900	3100
16 Way	1100	3500

Consumer Unit
MCB Enclosure
Sheet Steel
Enclosure with
Transparent Window



SPN RANGE WAYS	SINGLE DOOR WITH TRANSPARENT WINDOW
2+4	800
2+6	1000
2+8	1200
2+10	1400
2+12	1600

MCB Enclosures
Vertical Type
Sheet Steel
Enclosures Fitted
with Copper Bus
Bar & Neutral Link



TPN RANGE	SINGLE DOOR	DOUBLE DOOR
4 Way	3700	5000
8 Way	5500	7600
12 Way	6600	9000

Double Door
MCB Enclosure
Euroline Range
Sheet Steel Enclosure
Fitted with Copper
Bus Bar, Neutral
Link & Wiring



TPN RANGE	SINGLE DOOR	DOUBLE DOOR
4 Way	700	4 Way 2200
6 Way	1000	6 Way 2800
8 Way	1050	8 Way 3100
10 Way	1200	10 Way 4000
12 Way	1400	12 Way 5000
16 Way	1600	----



Distribution Fuse
Boards As Per IS 8623
IS 2086
Sheet Steel Enclosure
Porcelain Fuse Units



AMPS	VOLTS	TYPE	2 WAY	3 WAY	4 WAY	6 WAY	8 WAY
16	240	SPN	300	400	450	700	800
32	240	SPN	700	700	900	1300	1500
16	415	TPN	2000	2000	2500	3200	4000
32	415	TPN	2500	3000	3500	4500	5500
63	415	TPN	4000	5000	6000	8000	9000

MCB

Miniature Circuit Breaker
MCB 10KA Confirms to
IS/IEC 60898-1 Tripping
Characteristics B & C.



RATING	SP	SPN	DP	TP	TPN	FP
6A-32A	140	300	360	500	690	800
40A	220	400	540	660	900	1300
63A	300	600	900	1300	1680	1800

PLUG & SOCKET

Plug & Socket Enclosure
Sheet Steel Enclosure
Fitted with Neutral
Link & Wiring



RANGE	UNIT PRICE
SSP 10 A	650
SSP 20 A	1200
STP 20 A	2200
STP 32 A	2700

MCCB ENCLOSURE

MCCB Enclosure for all
Companies Range Starts
from 63 AMP - 1000 AMP
3 Pole & 4 Pole



AMPS	NET UNIT PRICE
63 3-POLE	280
100AMP 3-POLE	330
125AMP 4-POLE	550
DH-125	650
DY-250	980
DY-320	1180
DY-400	1200
DY-600	1500
DY-800	2000
H-100 3-POLE	400
H-100 4-POLE	550



METER BOX

Energy Meter Boxes Three Phase Heavy Duty fitted with glass & Bakelite. Provision for fitting of 3 No. Fuse Units 63/100 amp




Size in MM	Rate
800x330x165mm	PRICE ON REQUEST

SPARES FOR MCB DISTRIBUTION BOARD



LIST NO.	UNIT PRICE	LIST NO.	UNIT PRICE
1/2 Way	UNITS PRICE	LIST NO.	UNIT PRICE
3/4 Way	20	4 Way	70
6/8 Way	40	6 Way	100
12 Way	70	8 Way	140
16 Way	100	12 Way	170
Bus Bar Incoming Contact	120	16 Way	250
Dummy Plug	70	----	----
	20	----	----

SPARES FOR FUSE SWITCH UNITS



AMP	VOLTS	BASE PRICE	BAKELITE ARM WITH TWO BLADES	ACTION BAR
63	415	3040	820	2910
100	415	3990	1200	4200
200	415	5550	1760	5900
300	415	7500	2210	7000
400	415	13320	2980	9600

SPARES FOR SWITCH FUSE UNITS



AMP	VOLTS	ACTION BAR	FUSE BASE	FUSE TOP	END METAL PARTS
16	240	160	50	50	140
32	240	320	80	80	180
16	415	340	50	50	390
32	415	450	105	105	780
63	415	850	450	450	1090
100	415	1250	800	800	1430
200	415	1800	900	900	1600



HEAD OFFICE

GORAYA (PUNJAB)

BRANCH OFFICE

**KOLKATA | CHENNAI | SECUNDERABAD | HYDERABAD | ERNAKULAM
BANGALORE | NAGPUR | ASSAM | NEPAL | BHUTAN | JAMMU
LUCKNOW | SONIPAT**